Copa



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
YUKIKO IWASAKI, ET AL.	: Examiner: S. Isaac) : Group Art Unit: 2812
Appl. No.: 10/669,002)
Filed: September 24, 2003	Certificate
For: ANODIZING APPARATUS	JUN 2 4 2005 of Correction
U.S. Patent No.: 6,818,104 B2	
Issued: November 16, 2004	:) Date: June 20, 2005

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

Patentees' undersigned attorney may be reached in our Costa Mesa, California office by telephone at (714) 540-8700. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Damond E. Vadnals Attorney for Patentees Registration No.: 52,310

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3800 Facsimile: (212) 218-2200

CA_MAIN 96989v1

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: 6,818,104 BZ

DATED

: November 16, 2004

INVENTOR(S): IWASAKI, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 37, "p⁺-type" should read --p⁻-type--.

Line 47, "hydrof-" should read --hydro- --.

Line 48, "luoric" should read --fluoric--.

COLUMN 18:

Line 35, "extended form" should read --extended from--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO

30 Rockefeller Plaza

New York, New York 10112-3800

(212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82) (96993)

PATENT NO. <u>6,818,104</u>

No. of add'l. copies @ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO. : $6,818,104 \beta 2$

DATED

: November 16, 2004

INVENTOR(S): IWASAKI, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17:

Line 37, "p⁺-type" should read --p⁻-type--.

Line 47, "hydrof-" should read --hydro- --.

Line 48, "luoric" should read --fluoric--.

COLUMN 18:

Line 35, "extended form" should read --extended from--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3800 (212) 218-2100 - Telephone

(212) 218-2200 - Facsimile

Form PTO 1050 (Rev. 3-82) (96993)

PATENT NO. 6,818,104

No. of add'l. copies @ 30¢ per page

JUN 2 7 2005